



**DLH**  
online

# HEIGHT SAFETY HARNESSSES

Yale

**CMHYP10**



## Single point harness

Model: CMHYP10

Single point full body, entry level harness, with rear 'D' attachment point. Conforms to EN361.

**CMHP56**



## Four point harness

Model: CMHYP56

Four point full body harness c/w work positioning belt. Conforms to EN361 & EN358.

**CMHYP35**



## Two point harness

Model: CMHYP35

Two point full body harness with front & rear 'D' attachment points. Conforms to EN361.

**CMHP56A**



## Four point quick connect harness

Model: CMHYP56A

Four point full body harness c/w work positioning belt c/w quick connect buckles. Conforms to EN361 & EN358.

**CMHYP36A**



## Two point quick connect harness

Model: CMHYP36A

Two point full body harness with front & rear 'D' attachment points with added benefit of quick connect buckles. EN361.

**CMHP10R**



## Rescue harness

Model: CMHYP10R

Rescue harness with front and rear 'D' attachment points and with added rescue anchorage point. Conforms to EN361.

**CMHYP20**



## Three point harness

Model: CMHYP20

Three point full body harness, with front 'D' and side 'D' attachment points. Conforms to EN361, EN358.

**CMHP70**



## Riggers harness

Model: CMHYP70

Five point full body harness. Conforms to EN361, EN358, and EN813.

**CMHPB70**



## Work positioning and sit harness

Model: CMHYPB70

Work positioning and sit harness. Conforms to EN358 & EN813.

# FALL ARREST LANYARDS

Yale

## ROPE



**Model: CMHABMLB101**

2 metre x 12mm rope lanyard c/w 2 screw gate connectors.

**Model: CMHABMLB101S**

1.5 metre x 12mm rope lanyard c/w 2 screw gate connectors.

**Model: CMHABMLB101scaff**

2 metre x 12mm rope lanyard c/w 1 scaffold hook & 1 x screw gate connector.

**Model: CMHABMLB101Sscaff**

1.5 metre x 12mm rope lanyard c/w 1 scaffold hook & 1 x screw gate connector.

**Model: CMHABMLB102**

2 metre x 12mm twin tail rope lanyard c/w 3 screw gate connectors.

**Model: CMHABMLB102scaff**

2 metre x 12mm twin tail rope lanyard c/w 2 scaffold hooks & 1 screw gate connector.

**Model: CMHLB100**

2 mtr x 12mm adjustable rope lanyard c/w 1 scaffold hook & 1 screw gate connector.

## WEBBING



**Model: CMHABMT**

2 metre webbing lanyard c/w 2 x screw gate connectors.

**Model: CMHABMTS**

1.5 metre webbing lanyard c/w 2 x screw gate connectors.

**Model: CMHABMTscaff**

2 metre webbing lanyard c/w 1 x scaffold hook and 1 x screw gate connectors.

**Model: CMHABMTSscaff**

1.5 metre webbing lanyard c/w 1 scaffold hook and 1 x screw gate connectors.

**Model: CMHABM2T**

2 metre twin tail webbing lanyard c/w 3 screw gate connectors.

**Model: CMHABM2Tcscff**

2 metre twin tail webbing lanyard c/w 2 scaffold hooks & 1 x screw gate connector.

**Model: CMHABMLE101**

2 metre elasticated lanyard c/w 1 scaffold hook and 1 x screw gate connector.

**Model: CMHABMTC**

1.7 metre webbing lanyard. No connectors.

*\*All rope & webbing lanyards conform to EN354 & EN355*

## RESTRAINT



**Model: CMHLB101**

2 metre x 12mm restraint rope lanyard c/w 2 screw gate snap hooks, EN354

## WORK POSITIONING



*\*Conforms to EN355*

**Model: \*CMHAF130-02**

2 metre work positioning device c/w shortener

**Model: \*CMHAF130-04**

4 metre work positioning device c/w shortener

# HEIGHT SAFETY KITS

Yale

## KIT - 1



CMHYP10  
Harness



CMHLB101  
o/w 2 x CMHAZ011

### Restraint kit Model: CMHYP01

#### Each kit contains:

- 1 x Single point harness
- 1 x 2 metre restraint rope lanyard
- 2 x Screw gate snap hooks
- 1 x Certificate of conformity

*\* This kit is for RESTRAINT only. Not to be used for fall arrest.*

## KIT - 2



CMHYP10 Harness

CMHABMLB101  
o/w 2 x CMHAZ011



CMHB

### Basic kit Model: CMHYP02

#### Each kit contains:

- 1 x Single point harness
- 1 x 2 metre shock absorbing rope lanyard
- 2 x Screw gate snap hooks
- 1 x Kit bag
- 1 x Certificate of conformity

## KIT - 3



CMHYP10 Harness

CMHABMLB101scaff



CMHB

### Scaffolders kit Model: CMHYP03

#### Each kit contains:

- 1 x Single point harness
- 1 x 2 metre shock absorbing rope lanyard
- 1 x Screw gate snap hook
- 1 x Scaffold hook
- 1 x Kit bag
- 1 x Certificate of conformity

## KIT - 4



CMHYP35 Harness



CMHB



CMHAZ900050



CMHAH210

### Construction (2) kit Model: CMHYP04

#### Each kit contains:

- 1 x Two point harness
- 1 x 2.2 metre webbing retractor
- 1 x 600mm anchor sling
- 1 x Kit bag
- 1 x Test certificate

# HEIGHT SAFETY KITS

Yale

## KIT - 5



CMHYP95 Harness



CMHAX322



CMHACF20010



CMHAZ900050

### Construction (3) kit Model: CMHYP05

#### Each kit contains:

- 1 x Two point harness
- 1 x 10 metre fall arrest block
- 1 x 600mm anchor sling
- 1 x Carrying case
- 1 x Certificate of conformity

## KIT - 6



CMHYP35 Harness



CMHB



CMHABM2Tscoff

### Crane maintenance kit Model: CMHYP06

#### Each kit contains:

- 1 x Two point harness
- 1 x 2 metre twin tail shock absorbing web lanyard
- 2 x Scaffold hooks
- 1 x Screw gate snap hook
- 1 x Kit bag
- 1 x Certificate of conformity

## KIT - 7



CMHYP35 Harness



CMHAC010 & CMHAC101



CMHAX322



CMHAZ900050

### Roofers kit Model: CMHYP07

#### Each kit contains:

- 1 x Two point harness
- 1 x 20 metres of kernmantle rope
- 1 x Rope grab
- 1 x Shock absorber
- 1 x 600mm anchor sling
- 1 x Carrying case
- 1 x Certificate of conformity

## KIT - 8



CMHYP56 Harness



CMHB



CMHAF13002



CMHWH210

### Work positioning kit Model: CMHYP08

#### Each kit contains:

- 1 x Four point harness
- 1 x 2 metre work positioning device
- 1 x 2.2 metre webbing retractor
- 1 x Kit bag
- 1 x Certificate of conformity

# TRIPODS

Yale



## Tripod (1.5 mtr closed height)

Model: CMHTM8

Tripod with a working load limit of 500 kgs.  
Height to underside of 1340 - 2140 mm.  
Net weight 13.6 kgs. Conforms to EN795.

## Tripod (1.75 mtr closed height)

Model: CMHTM9

Tripod with a working load limit of 500 kgs.  
Closed height of 1.75 metres  
Height to underside of 1340 - 2300 mm.  
Net weight 14.3 kgs. Conforms to EN795.

# WINCHES

Yale



## Winches

Winches with automatic brake c/w mounting bracket, cable diameter 6.3 mm. With working load limit of 180 kgs. Net weight 13 kgs. Conforms to EN1486.

Model: CMHRUP20 (20 mtr option)

Model: CMHRUP25 (25 mtr option)

# RESCUE

Yale



## Rescue descent device

Rescue descent device all complete with: Descent device, 11 mm dia. working rope, 3 x snap hooks, webbing sling, knife and kit bag.

Model: CMHAR01030 (30 mtr option)

Model: CMHAR01040 (40 mtr option)

# CONNECTORS



## Steel snap hooks

**Model: CMHAZ011** (Screw gate snap hook, 18 mm opening).

**Model: CMHAZ011t** (Twist lock snap hook, 18 mm opening).

**Model: CMHAZ017** (Screw gate snap hook, 25 mm opening).

**Model: CMHAZ017t** (Twist lock snap hook, 25 mm opening).

**Model: CMHAZ018t** (Twist lock snap hook, 27 mm opening).

## Light alloy snap hooks

**Model: CMHAZ01t** (Twist lock snap hook, 20 mm opening).

**Model: CMHAZ014t** (Screw gate snap hook, 25 mm opening).

**Model: CMHAZ121** (Twist lock snap hook, 60 mm opening).

*\*All connectors conform to EN362.*

# ACCESSORIES



CMHAES2010

**Model: CMHAT060**

Adjustable door anchor beam, (1415 x 150 x 100 mm) Weight: 7 kgs. EN795.

CMHAT060

**Model: CMHAZ90030**

300 mm webbing anchor sling. Conforms to EN795.

**Model: CMHAZ90060**

600 mm webbing anchor sling. Conforms to EN795.

**Model: CMHAZ90080**

800 mm webbing anchor sling. Conforms to EN795.

CMHB

**Model: CMHAC010**

Rope grab with shock absorber for use on 14 mm kernmantle rope. EN353-2.

**Model: CMHAC100**

20 metre x 14 mm kernmantle rope. Conforms to EN1891.

**Model: CMHB**

Yale height safety ruck sack.

CMHAZ900060

CMHAX322

**Model: CMHAX322**

Large plastic carry case (310 x 410 x 180mm).



**Contact our sales team  
on 0845 2702919**

**or**

**email:**

**[sales@dale-lifting.co.uk](mailto:sales@dale-lifting.co.uk)**